

Irganox□ 1076

Revision date: 2015/02/10 Page: 1/11
Version: 6.1 (30546641/SDS\_GEN\_US/EN)

### 1. Identification

Product identifier used on the label

# Irganox® 1076

### Recommended use of the chemical and restriction on use

Unsuitable for use: This material is not intended for use in products for which prolonged contact with mucous membranes, body fluids or abraded skin, or implantation within the human body, is specifically intended, unless the finished product has been tested in accordance with nationally and internationally applicable safety testing requirements. Because of the wide range of such potential uses, we are not able to recommend this material as safe and effective for such uses and assume no liability for such uses.

Recommended use\*: Antioxidant / Stabilizer

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

# Irganox□ 1076

Revision date: 2015/02/10 Page: 2/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

Combustible Dust Combustible Dust (1) Combustible Dust

Label elements

Signal Word: Warning

Hazard Statement:

May form combustible dust concentration in air.

## Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Emergency overview**

CAUTION:

Contact with the eyes or skin may cause mechanical irritation.

Chronic exposure may cause liver effects.

AVOID CREATING DUST.

Take precautionary measures against static discharges.

Use NIOSH approved respirator as needed to mitigate exposure.

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u> <u>Content (W/W)</u> <u>Chemical name</u>

2082-79-3 98.0 - 100.0 % Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4hydroxy-, octadecyl ester

# According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Content (W/W) Chemical name

2082-79-3 98.0 - 100.0 % Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4hydroxy-, octadecyl ester

### 4. First-Aid Measures

## Description of first aid measures

### General advice:

# Irganox □ 1076

Revision date: 2015/02/10 Page: 3/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

#### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

# Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

## 5. Fire-Fighting Measures

# Extinguishing media

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

# Irganox□ 1076

Revision date : 2015/02/10 Page: 4/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

#### harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire

# Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

### 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

# Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

## **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up Nonsparking tools should be used.

# 7. Handling and Storage

# Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas. Avoid dust formation. Do not use any sparking tools.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Dust explosion class: Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1).

# Irganox□ 1076

Revision date: 2015/02/10 Page: 5/13 Version: 6.1 (30546641/SDS GEN US/EN)

Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1).

# Conditions for safe storage, including any incompatibilities No

applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: < 40 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 40 °C

The packed product must be protected against exceeding the indicated temperature.

# 8. Exposure Controls/Personal Protection

### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

### Personal protective equipment

## Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

### Hand protection:

Wear chemical resistant protective gloves.

### Eye protection:

Safety glasses with side-shields.

# **Body protection:**

Body protection must be chosen based on level of activity and exposure.

### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice.

# Irganox□ 1076

Revision date: 2015/02/10 Page: 6/13

Version: 6.1 (30546641/SDS\_GEN\_US/EN)

# 9. Physical and Chemical Properties

Form: granules, fine

Odour: odourless

Odour threshold: No applicable information available.

Colour: white

5.7 pH value: (1 %(m), 20 - 25 °C) (as suspension)

Melting point: 50 - 55 °C

Boiling point: not applicable

273 °C Flash point: (DIN 51584) not highly flammable Flammability:

Lower explosion limit: For solids not relevant for classification

and labelling.

Upper explosion limit: For solids not relevant for classification

and labelling.

Autoignition: > 250 °C The product has not been tested. The

> statement has been derived from the properties of the individual components.

Vapour pressure: (250 °C) 26.6 Pa (25 °C) Density: 1.02 g/cm3

Relative density: 1.012 (OECD Guideline 109)

Bulk density: 260 - 320 g/l

Partitioning coefficient (20 - 25 °C) > 6

noctanol/water (log Pow):

Self-ignition temperature: not self-igniting

> 350 °C Thermal decomposition:

Viscosity, dynamic: not relevant Viscosity, kinematic: not relevant Particle size: D50 40.2 µm (measured)

% volatiles: 0.5 %

Solubility in water: practically insoluble

Molar mass: 530.87 g/mol

Evaporation rate: The product is a non-volatile solid.

Other Information: If necessary, information on other physical and chemical parameters

is indicated in this section.

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

# Irganox□ 1076

Revision date: 2015/02/10 Page: 7/13

Version: 6.1 (30546641/SDS\_GEN\_US/EN)

Oxidizing properties: not

fire-propagating

Dust explosivity characteristics:

Kst: 159 m.bar/s (See user defined text.)

Dust explosion class:

Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1) (St 2) Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1) (St 2)

Formation of Remarks: Forms no flammable gases in the flammable gases:

presence of water.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions Dust

explosion hazard.

### Conditions to avoid

Avoid dust formation. Avoid deposition of dust. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 350 °C

# 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Ingestion. Skin Inhalation.

Eyes

# Irganox□ 1076

Revision date: 2015/02/10 Page: 8/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

# **Acute Toxicity/Effects**

<u>Oral</u>

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

**Inhalation** 

Type of value: LC50

Species: rat

Value: > 1,800 mg/m3 (OECD Guideline 403)

Exposure time: 4 h

<u>Dermal</u>

Type of value: LD50 Species: rabbit

Value: > 2,000 mg/kg

## Assessment other acute effects Assessment

of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a

single exposure.

### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

<u>Skin</u>

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit Result: non-irritant

### Sensitization

Assessment of sensitization: Human data do not fully exclude a skin sensitizing potential. Skin sensitizing effects were not observed in animal studies.

other

Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

Repeated dose toxicity

# Irganox□ 1076

Revision date : 2015/02/10 Page: 9/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

Assessment of repeated dose toxicity: May affect the liver as indicated in animal studies.

#### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in a test with mammals.

Based on the ingredients, there is no suspicion of a mutagenic effect.

Genetic toxicity in vitro: Ames-test negative

Genetic toxicity in vivo: Cytogenetic assay hamster negative

### Carcinogenicity

Assessment of carcinogenicity: None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

### Reproduction

Experimental/calculated data: rat NOAEL Mat.: > 5,000 ppm

### **Teratogenicity**

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

### **Development**

rat

NOAEL Mat.: > 1,000 mg/kg

### Other Information

Contact allergenic properties have not been observed in test animals (guinea pigs). In humans workroom temperatures of about 40°C and profuse sweating might exacerbate potential irritancy and rashes may develop.

# Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

## 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

# Irganox□ 1076

Revision date: 2015/02/10 Page: 10/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

There is a high probability that the product is not acutely harmful to aquatic organisms. No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

### Aquatic invertebrates

EC50 > 100 mg/l, Daphnia magna

#### Aquatic plants

EC50 (72 h) > 30 mg/l, Scenedesmus sp.

Tested above maximum solubility. No toxic effects occur within the range of solubility. No effects at the highest test concentration.

### Chronic toxicity to fish

No data available regarding toxicity to fish.

### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) >= 2 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility.

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

activated sludge/EC50 (3 h): > 100 mg/l

# Persistence and degradability

### Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants. Well eliminable from water by adsorption on activated sludge.

### Elimination information

Not readily biodegradable (by OECD criteria).

Primary degradation.

### Information on Stability in Water (Hydrolysis) t1/2

7.2 a (25 °C), (calculated, pH7)

In contact with water the substance will hydrolyse slowly.

### Bioaccumulative potential

### Assessment bioaccumulation potential

# Irganox□ 1076

Revision date: 2015/02/10 Page: 11/13

Version: 6.1

(30546641/SDS\_GEN\_US/EN)

Accumulation in organisms is not to be expected.

### Bioaccumulation potential

Bioconcentration factor: < 100, Cyprinus carpio (OPPTS 850.1730 (EPA Guideline))

# Mobility in soil

## Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is expected.

# Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# Irganox<sup>□</sup> 1076

Revision date: 2015/02/10 12/13

Version: 6.1 (30546641/SDS\_GEN\_US/EN)

Page:

# 13. Disposal considerations

### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

### Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# 14. Transport Information

# Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

# **Federal Regulations**

### Registration status:

Cosmetic TSCA, US released / exempt

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Fire (Combustible Dust);

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

# Irganox □ 1076

Revision date: 2015/02/10 13/13

**HMIS III rating** 

Health: 1 Flammability: 1 Physical hazard: 0

### 16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/02/10

Page: Version: 6.1 (30546641/SDS\_GEN\_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Irganox® 1076 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**